



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

## \*BIBDATASHEET\*

CONFIRMATION NO. 4510

Bib Data Sheet

SERIAL NUMBER 10/700,284	FILING DATE 11/03/2003  RULE	CLASS 004	GROUP ART UNIT 3751	ATTORNEY DOCKET NO. 1442.004C
-----------------------------	---------------------------------------	--------------	------------------------	-------------------------------------

## APPLICANTS

Anthony Brennan, Clifton Park, NY;

W. John Gardenier, Albany, NY;

John V. Maiuccoro, Albany, NY;

## \*\* CONTINUING DATA \*\*\*\*\*

HL  
This application is a CIP of 10/282,445 10/29/2002 PAT 6,662,384  
which is a CON of 09/497,331 02/03/2000 PAT 6,498,740  
which is a CIP of 09/339,714 06/24/1999 PAT 6,185,757  
This application 10/700,284  
is a CON of 09/896,906 06/29/2001 PAT 6,675,404

## \*\* FOREIGN APPLICATIONS \*\*\*\*\*

F REQUIRED, FOREIGN FILING LICENSE GRANTED

\*\* SMALL ENTITY \*\*

\*\* 02/17/2004

Foreign Priority claimed <input type="checkbox"/> yes <input checked="" type="checkbox"/> no	STATE OR COUNTRY NY	SHEETS DRAWING 20	TOTAL CLAIMS 20	INDEPENDENT CLAIMS 4
35 USC 119 (a-d) conditions met <input type="checkbox"/> yes <input checked="" type="checkbox"/> no <input type="checkbox"/> Met after Allowance				
Verified and Acknowledged Examiner's Signature <i>Huyin Le</i> Initials				

## ADDRESS

23405  
HESLIN ROTHENBERG FARLEY & MESITI PC  
5 COLUMBIA CIRCLE  
ALBANY, NY  
12203

## TITLE

Flow control device for tub, spa, or shower

FILING FEE

RECEIVED  
493

FEES: Authority has been given in Paper  
No. \_\_\_\_\_ to charge/credit DEPOSIT ACCOUNT  
No. \_\_\_\_\_ for following:

<input type="checkbox"/> All Fees
<input type="checkbox"/> 1.16 Fees ( Filing )
<input type="checkbox"/> 1.17 Fees ( Processing Ext. of time )
<input type="checkbox"/> 1.18 Fees ( Issue )
<input type="checkbox"/> Other _____

BEST AVAILABLE COPY